

# Guangzhou Lianxin Plastic Machine Co., Ltd.

Add: #28 Junda Industrial Zone, Luoshan Road, Nancun Town, Panyu Area, Guangzhou, China. Tel: 86-20-39932896 Fax: 86-20-34787368 Skype: cnlxextruder Email: eileen@lextruder.com

### **Company Profile:**

Guangzhou Lianxin Plastic Machine Co., Ltd is located in Pearl River and convenient both in sea and land transportation. Advocating the spirit of exploitation and enterprising, we are in pursuit of excellent and have become the specialized supplier of manufacturing, designing and developing the plastic extrusion machines. We own the high-quality staff and management supervisors and our company has entirely impelled the ISO9001:2000 quality management system. With the professional technicians and designers, we can design and produce different specification extruder production line with the feature of high capacity, low cost and the most competitive in the market according to the client's demand.





## **Rigid PVC Pipe Conical Two Screws Extrusion Line**

#### **Brief Introduction:**

Aiming at the clients' continuous request for the quality of exported artificial rattan product, the equipment, based on existing extruder, through some technical reforms, owns the feature of high speed, high extrude output, low melt temperature and fine plasticization effect.

#### Applied Size: 16-63mm, one mould for two dies

Rigid PVC pipe production line is mainly used in the manufacture of the plastic PVC pipes with various tube diameters and wall thickness in the aspects such as the agricultural and nonstructural plumbing, cable laying etc. This set is composed of the conical twin-screw extruder, vacuum forming table, dragger, cutter, stirring up rack etc. The screws extruder and the extractor adopt the imported AC frequency employ the superior goods. The prime mover has the traction modes such as to claw, three-claw and so on. It may choose the saw blade cutting type or the planet cutting type. It is additionally attached with measuring apparatus and the intensifying device. The unit is of the reliable performance and high production efficiency. This company may allocate the special installation for the manufacture of the inner wall spiral coil and core ply blister tube set according to the clients requirements.

技術參數 Technical parameter:

機型model	主電機功率 Main motor power(kw)	螺杆直徑 Screw dia(mm)	螺杆數 Screw quantity	産量 Capatity(kgs/hr)
LXSJ-45/90	15	45/90	2	90
LXSJ-51/105	18.5	51/105	2	150~200
LXSJ-65/132	37	65/132	2	200~250
LXSJ-80/156	55	80/156	2	300~400
LXSJ-92/188	110	92/188	2	500~750





**Guangzhou Lianxin Plastic Machine Co., Ltd.**Add: #28 Junda Industrial Zone, Luoshan Road, Nancun Town, Panyu Area, Guangzhou, China.
Tel: 86-20-39932896 Fax: 86-20-34787368 Skype: cnlxextruder Email: eileen@lextruder.com

#### \*Extruding:



#### \*Machine in the Testing Workshop





Guangzhou Lianxin Plastic Machine Co., Ltd. Add: #28 Junda Industrial Zone, Luoshan Road, Nancun Town, Panyu Area, Guangzhou, China. Tel: 86-20-39932896 Fax: 86-20-34787368 Skype: cnlxextruder Email: eileen@lextruder.com



### **Output Product:**





Package: Film



### **Transportation:**

Export: Ocean shipping Inland: Land transporting

#### **After Sales:**

Our managing principle is tomorrow's market results from today's quality. It is lasting promise to offer prompt, thoughtful and perfect after-sale service. We offer one year guarantee for free. Engineers are available to serve oversea. When the part is artificially damaged or quick-wear part, customer needs to pay all the related charges.

#### Q&A:

**\*Q:** What's the **price** of this machine please?

\*A: Dear customer, for each kind of our machines, we have lots of models. Generally speaking, we design the production lines according to different requirements of different machines from different customers. Therefore, the prices are different. So please kindly inform us your requirements. For example, the raw material, the output product size, capacity and etc. The more detailed, the better. Our Engineers will design a suitable production line for you.